The Doctor Inc.

FOREIGN CAR SPECIALIST

AEASTERN ROAD

ACTON, MASS. 01720

263-2773

Report of Storge Tonk. 12/15/89.

10

Hazordous Materials Contral. Acten mon

The DOCTOR INC 2 EASTERN-RD ACTOM MASS 01750.

HAS, HAD, The Underground Storage Tank Inspection of found to Be bripty;

This Inspection was Done By

Bell Murph Washail Co
10. Millyn Id. Fed 10-1140000358655.

Waburn Mass 01801. on 12/15/89:

When Thy Renne Waste ail at That Time;

fra au leg staye Bussler,


afew Fruit.

Back Rhurfyh.

The poctor INC.

2 EASTERH-RD.

Actor manoitte



THE DOCTOR INC. 2 Eastern Road ACTON, MA 01720

ACTON BOARD OF HEALTH

March 1, 1989

To: Doctor Inc.

From: Acton Health Department

Re: Scheduled fee for Hazardous Materials Permit

Enclosed is the fee schedule for the Town's Hazardous Material Permit.

The fees are established on the bases of the amount of waste generated by your facility or the total square footage of floor space your company occupies.

Please send a check payable to the Town of Acton for the appropriate amount that applies to your business. This fee must be collected before the permit is issued.

Thank you.

Your Company initial fee is \$150.00

HAZARDOUS MATERIALS STORAGE PERMITS FEE SCHEDULE

Initial Storage	Permit Fee	14
Large S	cale Hazardous Waste Generator	\$625
Small Se	cale Hazardous Waste Generator	\$150
Large So	cale Non-Generators than 10,000 sq. ft. floor space	\$225
	cale Non-Generators an 10,000 sq. ft. floor space	\$150
Annual Permit Fee	2	
Large Sc	cale Hazardous Waste Generators	\$125
Small Sc	cale Hazardous Waste Generators	\$ 90
	than 10,000 sq. ft. floor space	\$ 60
	ale Non-Generators n 10,000 sq.ft. floor space	\$ 45

Nov 28, 1988

John Shay/ Palates Delite Occupancy Modification

Mr. Shay would like to modify conditions from a previous occupancy permit in order to add the brewing and serving of coffee on a take out basis and also to perform limited food preparation. The Board's chief concern in this matter is the total water usage in the mall. The past six(6) months water usage was 32,759 cubic feet. Therefore, the mall is only using a minimal amount of water. The Health Department feels that the Board should approve his request. Mr. Glannon made a motion to modify conditions of the occupancy permit for Palates Delight to allow brewing and serving of coffee, and to perform limited food preparation on a take out basis with the following conditions:

1. Require water reading every year.

2. Not to dispose of coffee grounds into the septic system.

Mr. Heinrich seconded. All were in favor.

The Doctor Inc./ Paul R. Murphy Hazardous Materials Storage Permit

Mr. Murphy seeks a permit for the Storage of Hazardous Materials. Mr. Murphy would like to relocate his facility from 4 Eastern Rd. to 2 Eastern Rd. for the purpose of updating his business image. Among one of the requirements Mr. Murphy needs an underground storage tank to contain any excess Hazardous Waste. Mr. Heinrich made a motion to grant this permit to store oil and antifreeze at 2 Eastern Road with the following conditions:

1. That oil and waste be removed by a qualified disposal service.

2. That regular inspection of underground storage tank be required once a year.

3. That MSDS's be made available for inspection by workers.

4. To make sure that there are sufficient bags of cleanup material available in case of spill.

5. That the containment buffer surrounding the storage drum have the capability of holding 150 gallons.

6. That the tank hold at least 500 gallons.

Mr. Glannon seconded. All were in favor.



MMONWEALTH OF MASSACHUSETTS IT OF ENVIRONMENTAL QUALITY EN

DIVISION OF HAZARDOUS WASTE

EERING

C877647 C0PY>6:

GENERATOR MAILS TO DESTINATION STATE

One Winter Street

Boston, Massachusetts 02108

UNIFORM HAZARDOUS		lanifest ument No.	2. Page	1		1
WASTE MANIFEST	MARKED ALBERT		of	is not require	-	llaw.
3. Generator's Name and Mailing Address	A. State Manifest Document Number					
The SAAL Ducture						
Leveloundes Hereit	THE CAR STATE		B. State	SAME		
4 Generator's Phone (CState	Tenna ID . (t"		
5. Fransporter 1 Company Name	6. US EPA ID Numiber	16.5.5	C.State	Trans. ID	- 703	ma
Bill Murphy Waste Vil	14 A D 0 0 0 3 5 8	10 3 3	D Trop	sporter's Phone (617 9	3-4928
7. Transporter 2 Company Name	8. US EPA ID Number		E. State	Trans. ID		98.187.19
3 Designated Facility Name and Site Address	10. US EPA ID Number					
Ashland Industrial Fue	L		8	porter's Phone () !	
15 Megunko Rd. Ashlan	d. MA		E -	Facility's ID	Not Re	The state of the s
	141410191810151719		100	ty's Phone (54		-552Z
11. US DOT Description (Including Proper Shipp	ping Name, Hazard Class, and ID Number)	12. Cont	ainers	13. Total	14. Unit	Weste No.
The Od Do T Description () Topo Comp		No.	Type	Quantity	Wt/Vol	
a.						
Waste Petroleum Oil N. Combustible Liquid NA	.0.S. 1270	111	TIT	1150	GL.	MIA1011
G b.						is a surface
E						1248/26
N			+			7. 0 3.00
R c.						
7			1.1	1 1 T E		
0			1			
H d.		i i				
		1 1	1 1			1111
J. Auditional Descriptions for Materials Listed A	A bove for suite provided state and hazard cous.	Barohousken	K. Han	ding Codes for W	astos Listud	Above
	ADDAD INICIDAD PROPOSAL CITICO MILA MARIA CARA		5	700	cT	1510
a. Waste Hotor Oil	C.		a S	10 1 2	CI	1 3 1 0 1
	d.		b.	1 1	d.	
b. 15. Special Handling Instructions and Addition			- Continuo de Continuo de			
15. Special nationing trial decisions and Addition						
MA01						
and the second s	at the contents of this consignment are fully and accurately de	scribed above	Бу			
proper shipping name and are classified, packed, in according to applicable international and national g	larked, and labeled, and are in all respects in proper continued	or transport by	nignway			
	and the second s	e generated to	the degree l	have deternined to	be economical	ly practicable
and that I have selected the practicable inethod of	re.a program in place to reduce the volume and toxicity of wast treatment, storage, or disposal currently available to me which made a good faith effort to minimize my waste generation and	minimizes the select the bes	present and t waste man	future threat to hum agement method that	ian health and i it is available to	the environ- o me and that !
ment; OR, if I am a small quantity generator, i nave can afford.	made a good ratti error to manning try visco 35				r	Date
Original County Name	Signature			7.	Monti	
Printed/Typed Name		1.		V.	V.K	11126
17. Transporter 1 Acknowledgement of Re	eceipt of Materials					Date
Printed/Typed Name	Signature		11		Monti	h Day Year
Bull Balley		in il	210	accept	10	41.89
18. Transporter 2 Acknowledgement of Re					Manti	h Day Year
Printed/Typed Name	Signature					
19. Discrepancy Indication Space						
F						
6						
20. Facility Owner or Operator: Certification o	of receipt of hazardous materials covered by this mani-	fest except	as noted in	Item 19.		
I .						Date
Printed/Typed Name	Signature				Mont	h Day Year
					1 1	

CHECKED TANK IN ground Empty 12-15-89 Burge Yawey

BILL MURPHY WASTE OIL

10 Millyan Road *
WOBURN, MASSACHUSETTS 01801 (617) 933-4928

	ER'S ORDER NO.	PHONE	PATE /	2.75	198
MANE	7255	ech D	Ctos		
ADDRESS	0	for 120		411	
AGE	COD CH	HAR DINKERS N	O GAN GTER 289	a l	
	Gals.			\$60.	00
	m	1201			
	1.40 6	in Cral	and realist	JANES.	l di
	Cloa.	Tesa		\$20	00
1	K Tar	# /M 9	PROUND =	EMPT	ν.
			12/1	5/89	
in the	State Lic.	A SECTION OF THE SECTION			
	/on	CK 474	4 . 7	2	
BOLD BY	RECEIVED BY		TOTA	10.20	

Thank

PRODUCT 6697 NEWS INC. Groton, Mass. 01471.

CHECKED TANK IT GROUND Empty 12-15-89 Bus Lawey

BILL MURPHY WASTE OIL

WOBURN, MASSACHUSETTS 01801 10 Millyan Road (617) 933-4928

(617	PHONE	700		NOE DNA	
	CUSTOMER'S ORDER NO.	NAME THE S	ADDRESS	CASH C.O.D. CHARGE	Gals.
	و	NAI	JOY	8	
٠			11		/
Re	l	el.		20	0

1936

M M

\$ 60,00

CHARGE DN AGGT MOSERETD PAID OUT

Doctor

\$20.00

4 40 Pen Cal

MAOI 150

*

Cloa. TEST

CK Tank IM 9ROUND=

1

PRODUCT 509-2 / NEBS | Inc., Groton, Mass 01471.

All claims and returned goods MUST be accompanied by this bill. Thank You

9604

TOTAL \$ 30, 00

TAX

State Lic. 115 A

RECEIVED BY

SOLD BY